

Patient Information	Specimen Information	Client Information

COMMENTS: FASTING: YES

Test Name	In Range	Out Of Range	Reference Range	Lab
17-HYDROXYPROGESTERONE				AMD
17-HYDROXYPROGESTERONE	12		*** ng/dL	

\*\*\* Unable to flag abnormal result(s), please refer to reference range(s) below:

Adult Female Reference Ranges for 17-Hydroxyprogesterone:

Pre-Menopausal Mid Follicular: 23 - 102 ng/dL  
 Pre-Menopausal Surge: 67 - 349 ng/dL  
 Pre-Menopausal Mid Luteal: 139 - 431 ng/dL  
 Postmenopausal Phase: < or = 45 ng/dL

Female Tanner Stages:

II - III Females: 18 - 220 ng/dL  
 IV - V Females: 36 - 200 ng/dL

\*\*Includes data from J Clin Endocrinol Metab. 1991;73:674-686; J Clin Endocrinol Metab. 1989;69:1133-1136; J Clin Endocrinol Metab. 1994;78:226-270. Pediatr Res 1988;23:525-529. MedLinePlus (accessed 6/16/14).

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.