

Specimen ID:  
Control ID:

Acct #: 17452095      Phone: (800) 539-6119      Rte: 00  
Walk-In Lab, LLC  
1645 Tiffany Lane  
Mandeville LA 70448

### Patient Details

DOB:  
Age(y/m/d):  
Gender:      SSN:  
Patient ID:

### Specimen Details

Date collected:  
Date received:  
Date entered:  
Date reported:

### Physician Details

Ordering: E WEAVER  
Referring:  
ID: 1689744252  
NPI: 1689744252

### General Comments & Additional Information

**Alternate Control Number:**  
**Total Volume:** Not Provided

**Alternate Patient ID:**  
**Fasting:** U

### Ordered Items

D-Dimer; Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
D-Dimer	0.21		mg/L FEU	0.00 - 0.49	01

According to the assay manufacturer's published package insert, a normal (<0.50 mg/L FEU) D-dimer result in conjunction with a non-high clinical probability assessment, excludes deep vein thrombosis (DVT) and pulmonary embolism (PE) with high sensitivity. D-dimer values increase with age and this can make VTE exclusion of an older population difficult. To address this, the American College of Physicians, based on best available evidence and recent guidelines, recommends that clinicians use age-adjusted D-dimer thresholds in patients greater than 50 years of age with: a) a low probability of PE who do not meet all Pulmonary Embolism Rule Out Criteria, or b) in those with intermediate probability of PE. The formula for an age-adjusted D-dimer cut-off is "age/100". For example, a 60 year old patient would have an age-adjusted cut-off of 0.60 mg/L FEU and an 80 year old 0.80 mg/L FEU.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: William F Hancock, MD
----	----	--	----------------------------

For inquiries, the physician may contact **Branch: 504-828-2666 Lab: 800-762-4344**