

Specimen ID:
Control ID:

Acct #: 17452095 Phone: (800) 539-6119 Rte: 00
Walk-In Lab, LLC
VART verified
1645 Tiffany Lane
Mandeville LA 70448

Patient Details

DOB:
Age(y/m/d):
Gender: SSN:
Patient ID:

Specimen Details

Date collected:
Date entered:
Date reported:

Physician Details

Ordering: M HENZES
Referring:
ID: B39645
NPI: 1457351488

General Comments & Additional Information

Alternate Control Number:
Total Volume: Not Provided

Alternate Patient ID: Not Provided
Fasting: No

Ordered Items

Panel 083935; HCV Antibody; HBsAg Screen; Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Panel 083935					
HIV Screen 4th Generation wRfx	Non Reactive			Non Reactive	01
HCV Antibody					
Hep C Virus Ab	0.1		s/co ratio	0.0 - 0.9	01
			Negative:	< 0.8	
			Indeterminate:	0.8 - 0.9	
			Positive:	> 0.9	
The CDC recommends that a positive HCV antibody result be followed up with a HCV Nucleic Acid Amplification test (550713).					
HBsAg Screen	Negative			Negative	01

01	RN	LabCorp Raritan 69 First Avenue, Raritan, NJ 08869-1800	Dir: Araceli B Reyes, MD
----	----	--	--------------------------

For inquiries, the physician may contact **Branch: 504-828-2666 Lab: 800-631-5250**