

**Patient Report** 

Specimen ID: Control ID: Acct #: Walk-In Lab, LLC VART verified Phone: (800) 539-6119

Rte: 00

**Patient Details** 

Specimen Details

Physician Details

**General Comments & Additional** 

**Information Alternate Control Number:** 

Total Volume: Not Provided

Alternate Patient ID: Fasting: No

Ordered Items

Celiac Disease II

TESTS	RESULT	FLAG	UNITS	REFERENCE	INTERVAL	LAB
Celiac Disease II						
Endomysial Antibody IgA	Negative			Nega	tive	01
t-Transglutaminase (tTG)	) IgA 3		U/mL	-	-3	01
			Negative	9 0	- 3	
					- 10	
	_		Positive		>10	
Tissue Transglutaminase (tTG) has been identified						
as the endomysial antigen. Studies have demonstr-						
ated that endomysial IgA antibodies have over 99%						
specificity for gluten sensitive enteropathy.						
t-Transglutaminase (tTG)	) IgG 2		U/mL	~	-5	01
			Negative	9 0	<b>-</b> 5	
			Weak Pos	sitive 6	- 9	
			Positive	9	>9	
Immunoglobulin A, Qn, Se	erum 157		mg/dL	90	-386	02

For inquiries, the physician may contact Branch: 504-828-2666 Lab: 800-762-4344