

Patient Name:

Patient Phone:

Date of Birth (Age):

Sex:

Referring Dr (NPI #):

Patient ID:

Specimen ID:

Account Number:

Account Name:

Collection Date/Time:

Received Date/Time:

Reported Date/Time:

General Comments and Additional Information

Total Vol: Source:

Result Name	Flag	Result	Range/Units	Status	Lab
-------------	------	--------	-------------	--------	-----

164099 HSV 1 and 2 Ab, IgG

HSV 1 IgG, Type Spec	Abnormal	Reactive	Non Reactive	Final	01
----------------------	----------	----------	--------------	-------	----

\*\*Please note reference interval change\*\*

HSV-1 IgG testing performed using the Roche Elecsys HSV-1 IgG assay.

HSV 2 IgG, Type Spec	Abnormal	Reactive	Non Reactive	Final	01
----------------------	----------	----------	--------------	-------	----

\*\*Please note reference interval change\*\*

Current guidelines and recommendations do not recommend routine screening for HSV-2 in asymptomatic individuals, including those that are pregnant. The detection of HSV-2 IgG antibodies in a single sample indicates previous exposure to HSV-2 but does not give information as to the site of HSV infection or the timing of exposure. The predictive value of positive and negative results depends on the population's prevalence and the pretest likelihood of HSV-2. HSV-2 IgG testing performed using the Roche Elecsys HSV-2 IgG assay.

END OF REPORT