

Ordered Items: **Tetanus/Diphtheria Ab; B pertussis IgG Ab**

Date Collected:

Date Received:

Date Reported: **01/12/2023**

Fasting: **No**

Tetanus/Diphtheria Ab

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
Tetanus Antitoxoid IgG Ab ⁰¹	0.64		IU/mL	<0.10
<p>Interpretation:</p> <p>Non-Protective <0.10</p> <p>Protective >=0.10</p> <p>Results for this test are for research purposes only by the assay's manufacturer. The performance characteristics of this product have not been established. Results should not be used as a diagnostic procedure without confirmation of the diagnosis by another medically established diagnostic product or procedure.</p>				
Diphtheria Antitoxoid Ab ⁰¹	0.64		IU/mL	<0.10
<p>Interpretation:</p> <p>Non-Protective <0.10</p> <p>Protective >=0.10</p> <p>For research use only.</p>				

B pertussis IgG Ab

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
▲ B pertussis IgG Ab ⁰¹	1.86 High		index	0.00-0.94
<p>Negative <0.95</p> <p>Equivocal 0.95 - 1.04</p> <p>Positive >1.04</p>				

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

01: BN - Labcorp Burlington 1447 York Court, Burlington, NC, 27215-3361 Dir: Sanjai Nagendra, MD

For Inquiries, the physician may contact Branch: 504-828-2666 Lab: 858-668-3700