

Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Phone: Patient ID:	Specimen: Requisition: Lab Ref #: Collected: Received: Reported:	

Test Name	In Range	Out Of Range	Reference Range	Lab
HSV 1/2 IGG,TYPE SPECIFIC AB				
HSV 1 IGG, TYPE SPECIFIC AB		54.50 H	index	
HSV 2 IGG, TYPE SPECIFIC AB	<0.90		index	
	Index	Interpretation		
	-----	-----		
	<0.90	Negative		
	0.90-1.09	Equivocal		
	>1.09	Positive		

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

HEPATITIS A IGM	NON-REACTIVE	NON-REACTIVE
CHLAMYDIA/N. GONORRHOEAE RNA, TMA, UROGENITAL		
CHLAMYDIA TRACHOMATIS RNA, TMA, UROGENITAL	NOT DETECTED	NOT DETECTED
NEISSERIA GONORRHOEAE RNA, TMA, UROGENITAL	NOT DETECTED	NOT DETECTED
See Endnote 1		
RPR (MONITOR) W/REFL TITER	NON-REACTIVE	NON-REACTIVE

Endnote 1 This test was performed using the APTIMA COMBO2 Assay (Gen-Probe Inc.).

The analytical performance characteristics of this assay, when used to test SurePath specimens have been determined by Quest Diagnostics.

Patient Information	Specimen Information	Client Information
DOB: AGE: Gender: Patient ID:	Specimen: Collected: Received: Reported:	

Infectious Diseases

Test Name	Result	Reference Range	Lab
HIV 1/2 ANTIGEN/ANTIBODY, FOURTH GENERATION W/RFL			
HIV AG/AB, 4TH GEN	NON-REACTIVE	NON-REACTIVE	
HIV-1 antigen and HIV-1/HIV-2 antibodies were not detected. There is no laboratory evidence of HIV infection. PLEASE NOTE: This information has been disclosed to you from records whose confidentiality may be protected by state law. If your state requires such protection, then the state law prohibits you from making any further disclosure of the information without the specific written consent of the person to whom it pertains, or as otherwise permitted by law. A general authorization for the release of medical or other information is NOT sufficient for this purpose. For additional information please refer to http://education.questdiagnostics.com/faq/FAQ106 (This link is being provided for informational/educational purposes only.) The performance of this assay has not been clinically validated in patients less than 2 years old.			
Physician Comments:			

Infectious Diseases

Test Name	Result	Reference Range	Lab
HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM			
HEPATITIS B SURFACE ANTIGEN	NON-REACTIVE	NON-REACTIVE	
HEPATITIS C AB W/REFL TO HCV RNA, QN, PCR			
HEPATITIS C ANTIBODY	NON-REACTIVE	NON-REACTIVE	
SIGNAL TO CUT-OFF	0.01	<1.00	
HCV antibody was non-reactive. There is no laboratory evidence of HCV infection. In most cases, no further action is required. However, if recent HCV exposure is suspected, a test for HCV RNA (test code 35645) is suggested. For additional information please refer to http://education.questdiagnostics.com/faq/FAQ22v1 (This link is being provided for informational/educational purposes only.)			
Physician Comments:			

PERFORMING SITE: