

Patient Information	Specimen Information	Client Information

Test Name	In Range	Out Of Range	Reference Range	Lab
MEASLES, MUMPS, AND RUBELLA (MMR) AB (IGG) PANEL, IMMUNE STATUS				
MEASLES AB (IGG), IMMUNE STATUS	27.90		AU/mL	AT
AU/mL	Interpretation			
-----	-----			
<13.50	Not consistent with immunity			
13.50-16.49	Equivocal			
>16.49	Consistent with immunity			
<p>The presence of measles IgG suggests immunization or past or current infection with measles virus.</p> <p>For additional information, please refer to http://education.QuestDiagnostics.com/faq/FAQ162 (This link is being provided for informational/educational purposes only.)</p>				
MUMPS VIRUS AB (IGG), IMMUNE STATUS	14.40		AU/mL	AT
AU/mL	Interpretation			
-----	-----			
<9.00	Not consistent with immunity			
9.00-10.99	Equivocal			
>10.99	Consistent with immunity			
<p>The presence of mumps IgG antibody suggests immunization or past or current infection with mumps virus.</p>				
RUBELLA AB (IGG), IMMUNE STATUS	2.46		Index	AT
Index	Interpretation			
-----	-----			
<0.90	Not consistent with immunity			
0.90-0.99	Equivocal			
> or = 1.00	Consistent with immunity			
<p>The presence of rubella IgG antibody suggests immunization or past or current infection with rubella virus.</p>				
HEPATITIS B SURFACE AB IMMUNITY, QN	45		> OR = 10 mIU/mL	AT
<p>Patient has immunity to hepatitis B virus.</p> <p>For additional information, please refer to http://education.questdiagnostics.com/faq/FAQ105 (This link is being provided for informational/educational purposes only).</p>				
VARICELLA ZOSTER VIRUS ANTIBODY (IGG)	824.00		index	AT
Index	Interpretation			
-----	-----			
<135.00	Negative - Antibody not detected			

Patient Information	Specimen Information	Client Information

Test Name	In Range	Out Of Range	Reference Range	Lab
	135.00 - 164.99	Equivocal		
	> or = 165.00	Positive - Antibody detected		

A positive result indicates that the patient has antibody to VZV but does not differentiate between an active or past infection. The clinical diagnosis must be interpreted in conjunction with the clinical signs and symptoms of the patient. This assay reliably measures immunity due to previous infection but may not be sensitive enough to detect antibodies induced by vaccination. Thus, a negative result in a vaccinated individual does not necessarily indicate susceptibility to VZV infection. A more sensitive test for vaccination-induced immunity is Varicella Zoster Virus Antibody Immunity Screen, ACIF.

Patient Information	Specimen Information	Client Information

Infectious Diseases

Test Name	Result	Reference Range	Lab
HEPATITIS A AB, TOTAL	REACTIVE	NON-REACTIVE	AT

For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ202> (This link is being provided for informational/ educational purposes only.)

Physician Comments:

PERFORMING SITE: