

Specimen ID:
Control ID:

Acct #: 17452095
Walk-In Lab, LLC
VART verified
1645 Tiffany Lane
Mandeville LA 70448

Phone: (800) 539-6119 Rte: 00

Patient Details

DOB:
Age(y/m/d):
Gender: SSN:
Patient ID:

Specimen Details

Date collected:
Date received:
Date entered:
Date reported:

Physician Details

General Comments & Additional Information

Alternate Control Number:
Total Volume: Not Provided

Alternate Patient ID: Fasting:
No

Ordered Items

Acetylcholine Receptor Ab, All

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
Acetylcholine Receptor Ab, All					
AChR Binding Abs, Serum	<0.03		nmol/L	0.00 - 0.24	01
			Negative:	0.00 - 0.24	
			Borderline:	0.25 - 0.40	
			Positive:	> 0.40	
AChR Blocking Abs, Serum	2		%	0 - 25	01
			Negative:	0 - 25	
			Borderline:	26 - 30	
			Positive:	>30	

Results for this test are for research purposes only by the assay's manufacturer. The performance characteristics of this product have not been established. Results should not be used as a diagnostic procedure without confirmation of the diagnosis by another medically established diagnostic product or procedure.

AChR Modulating Ab	<12		%	0 - 20	01
			Negative:	<21	
			Equivocal:	21 - 25	
			Positive:	>25	

The assay is linear between values of 12 and 64. Those <12 and >64 are reported as such. No single value for ACR-modulating antibody should be used as a sole basis for diagnosis or response to therapy.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: William F Hancock, MD
----	----	--	----------------------------

For inquiries, the physician may contact Branch: 504-828-2666 Lab: 800-762-4344