

Patient Information	Specimen Information	Client Information

COMMENTS:

Test Name	In Range	Out Of Range	Reference Range	Lab
ELECTROLYTE PANEL				AT
SODIUM	140		135-146 mmol/L	
POTASSIUM	5.2		3.5-5.3 mmol/L	
CHLORIDE	106		98-110 mmol/L	
CARBON DIOXIDE	28		20-32 mmol/L	
TSH	0.84		0.40-4.50 mIU/L	AT
T4 (THYROXINE), TOTAL	7.9		4.9-10.5 mcg/dL	AT
SED RATE BY MODIFIED WESTERGREN	2		< OR = 20 mm/h	AT
CBC (INCLUDES DIFF/PLT)				AT
WHITE BLOOD CELL COUNT	4.2		3.8-10.8 Thousand/uL	
RED BLOOD CELL COUNT	4.95		4.20-5.80 Million/uL	
HEMOGLOBIN	15.0		13.2-17.1 g/dL	
HEMATOCRIT	44.7		38.5-50.0 %	
MCV	90.3		80.0-100.0 fL	
MCH	30.3		27.0-33.0 pg	
MCHC	33.6		32.0-36.0 g/dL	
RDW	12.4		11.0-15.0 %	
PLATELET COUNT	188		140-400 Thousand/uL	
MPV	11.0		7.5-12.5 fL	
ABSOLUTE NEUTROPHILS	1693		1500-7800 cells/uL	
ABSOLUTE LYMPHOCYTES	1571		850-3900 cells/uL	
ABSOLUTE MONOCYTES	504		200-950 cells/uL	
ABSOLUTE EOSINOPHILS	412		15-500 cells/uL	
ABSOLUTE BASOPHILS	21		0-200 cells/uL	
NEUTROPHILS	40.3		%	
LYMPHOCYTES	37.4		%	
MONOCYTES	12.0		%	
EOSINOPHILS	9.8		%	
BASOPHILS	0.5		%	
VITAMIN B12	750		200-1100 pg/mL	AT
C-REACTIVE PROTEIN	0.9		<8.0 mg/L	AT

PERFORMING SITE:

AT QUEST DIAGNOSTICS-ATLANTA, 1777 MONTREAL CIRCLE, TUCKER, GA 30084-6802 Laboratory Director: ANDREW N YOUNG,MD,PHD, CLIA: 11D0255931