

Specimen ID:
Control ID:

Acct #:

Phone:

Rte: 00

Patient Details

DOB:
Age(y/m/d):
Gender: SSN:
Patient ID:

Specimen Details

Date collected: | Date received:
Date entered:
Date reported:

Physician Details

Ordering:
Referring:
ID:
NPI:

General Comments & Additional Information

Alternate Control Number:
Total Volume:

Alternate Patient ID:
Fasting:

Ordered Items

IFE and PE, Serum: Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
IFE and PE, Serum					
Immunoglobulin G, Qn, Serum	529	Low	mg/dL	700 - 1600	
Immunoglobulin A, Qn, Serum	7	Low	mg/dL	87 - 352	
Result confirmed on concentration.					
Immunoglobulin M, Qn, Serum	197		mg/dL	26 - 217	
Protein, Total	6.3		g/dL	6.0 - 8.5	
Albumin	3.7		g/dL	2.9 - 4.4	
Alpha-1-Globulin	0.2		g/dL	0.0 - 0.4	
Alpha-2-Globulin	0.7		g/dL	0.4 - 1.0	
Beta Globulin	0.9		g/dL	0.7 - 1.3	
Gamma Globulin	0.8		g/dL	0.4 - 1.8	
M-Spike	Not Observed		g/dL	Not Observed	
Globulin, Total	2.6		g/dL	2.2 - 3.9	
A/G Ratio	1.5			0.7 - 1.7	

Immunofixation Result, Serum

An apparent normal immunofixation pattern.

Please note:

Protein electrophoresis scan will follow via computer, mail, or courier delivery.

PDF


Serum Protein Electrophoresis

Accession Number
Patient Name
Total Protein
Patient ID
Birthdate

Account No./ Name
Physician ID
Account Address 1
Account Address 2
Account Address 3



Serum Proteins Gel



Fraction	%	g/dl	g/dl Range	
Albumin	59.3	3.7	2.9 to	4.4
Alpha-1	3.8	0.2	0.0 to	0.4
Alpha-2	10.8	0.7	0.4 to	1.0
Beta	14.0	0.9	0.7 to	1.3
Gamma	12.1	0.8	0.4 to	1.8
Total		6.3		
Ratio				
A/G	1.5			

Interpretation

The SPE pattern appears unremarkable. Evidence of monoclonal protein is not apparent.