

Ordered Items: **E082-IgE Rabbit Epithelia**

Date Collected:	Date Received:	Date Reported: 06/05/2022	Fasting: No
-----------------	----------------	----------------------------------	--------------------

E082-IgE Rabbit Epithelia

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval																											
E082-IgE Rabbit Epithelia ⁰¹	<0.10		kU/L	Class 0																											
Class Description ⁰¹	<table border="1"> <thead> <tr> <th>Levels of Specific IgE</th> <th>Class</th> <th>Description of Class</th> </tr> </thead> <tbody> <tr> <td>< 0.10</td> <td>0</td> <td>Negative</td> </tr> <tr> <td>0.10 - 0.31</td> <td>0/I</td> <td>Equivocal/Low</td> </tr> <tr> <td>0.32 - 0.55</td> <td>I</td> <td>Low</td> </tr> <tr> <td>0.56 - 1.40</td> <td>II</td> <td>Moderate</td> </tr> <tr> <td>1.41 - 3.90</td> <td>III</td> <td>High</td> </tr> <tr> <td>3.91 - 19.00</td> <td>IV</td> <td>Very High</td> </tr> <tr> <td>19.01 - 100.00</td> <td>V</td> <td>Very High</td> </tr> <tr> <td>>100.00</td> <td>VI</td> <td>Very High</td> </tr> </tbody> </table>				Levels of Specific IgE	Class	Description of Class	< 0.10	0	Negative	0.10 - 0.31	0/I	Equivocal/Low	0.32 - 0.55	I	Low	0.56 - 1.40	II	Moderate	1.41 - 3.90	III	High	3.91 - 19.00	IV	Very High	19.01 - 100.00	V	Very High	>100.00	VI	Very High
Levels of Specific IgE	Class	Description of Class																													
< 0.10	0	Negative																													
0.10 - 0.31	0/I	Equivocal/Low																													
0.32 - 0.55	I	Low																													
0.56 - 1.40	II	Moderate																													
1.41 - 3.90	III	High																													
3.91 - 19.00	IV	Very High																													
19.01 - 100.00	V	Very High																													
>100.00	VI	Very High																													

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

01: BN - Labcorp Burlington 1447 York Court, Burlington, NC, 27215-3361 Dir: Sanjai Nagendra, MD
 For Inquiries, the physician may contact Branch: 504-828-2666 Lab: 800-631-5250