

Ordered Items: Chlamydia/GC Amplification, HSV 1 and 2-Spec Ab, IgG w/Rfx, HIV Ag/Ab with Reflex, HCV Antibody, RPR, HBsAg Screen, Hep A Ab, IgM

Date Collected: Date Received: Date Reported: Fasting:

General Comments & Additional Information

Chlamydia/GC Amplification

| Tests | Result | Flag | Units | Reference Interval |
|------------------------|----------|------|-------|--------------------|
| Chlamydia trachomatis, | | | | |
| NAA ⁰¹ | Negative | | | Negative |
| Neisseria gonorrhoeae, | | | | |
| NAA ⁰¹ | Negative | | | Negative |

HSV 1 and 2-Spec Ab, IgG w/Rfx

| ests | Result | Flag | Units | Reference Interval |
|-------------------------|--------|--|---------------------------|--------------------|
| HSV 1 IgG, Type Spec 03 | <0.91 | | index | 0.00-0.90 |
| | | | | |
| | | | Negative < | :0.91 |
| | | | Equivocal 0.91 - | 1.09 |
| | | | Positive > | 1.09 |
| | | Note: Negative indicates no antibodies detected to | | |
| | | HSV-1. Equivocal may suggest early infection. If | | |
| | | | retest at later date. Pos | |
| | | indicates antibodies det | | |
| | | | | |
| HSV 2 IgG, Type Spec 03 | <0.91 | | index | 0.00-0.90 |
| | | | | |
| | | | Negative < | :A 91 |
| | | | Equivocal 0.91 - | |
| | | | EdutAocat 6.81 - | ו פט.ו |

Positive >1.09
Note: Negative indicates no antibodies detected to
HSV-2. Equivocal may suggest early infection. If
clinically appropriate, retest at later date. Positive
indicates antibodies detected to HSV-2.

HIV Ag/Ab with Reflex

| Tests | Result | Flag | Units | Reference Interval |
|---------------------------|--------------|------|-------|--------------------|
| HIV Screen 4th Generation | | | | |
| wRfx 02 | Non Reactive | | | Non Reactive |



HCV Antibody

| Tests | Result | Flag | Units | Reference Interval |
|-------------------|--------|----------------------------|----------------------|--------------------|
| Hep C Virus Ab 02 | <0.1 | | s/co ratio | 0.0-0.9 |
| | | | | |
| | | | Negative: < | 0.8 |
| | | 1 | Indeterminate: 0.8 - | 0.9 |
| | | | Positive: > | 0.9 |
| | The | CDC recommends that a pos | sitive HCV antibody | result |
| | be · | followed up with a HCV Nuc | cleic Acid Amplifica | tion |
| | tes | t (550713). | | |
| | | | | |

RPR

| Tests | Result | Flag | Units | Reference Interval |
|-------------------|--------------|------|-------|--------------------|
| RPR ⁰² | Non Reactive | | | Non Reactive |

HBsAg Screen

| Tests | Result | Flag | Units | Reference Interval |
|-----------------|----------|------|-------|--------------------|
| HBsAg Screen 02 | Negative | | | Negative |

Hep A Ab, IgM

| Tests | Result | Flag | Units | Reference Interval |
|-----------------------------|----------|------|-------|--------------------|
| Hep A Ab, IgM ⁰² | Negative | | | Negative |

Performing Labs

Icon Legend