

Ordered Items: NT-proBNP; Venipuncture

| Date Collected: | | Date Received: | Date Report | Date Reported: 10/04/2022 | | Fasting: No | |
|-----------------|----------------------------|----------------|---|-------------------------------------|--------------------------------------|--------------------|--|
| NT | -proBNP | | | | | | |
| | Test | Current Re | esult and Flag Previ | Previous Result and Date | | Reference Interval | |
| | NT-proBNP ⁰¹ | 679 | High | | pg/mL | 0-210 | |
| | Please Note: ⁰¹ | | The following cut-points have been suggested for th use of proBNP for the diagnostic evaluation of hear failure (HF) in patients with acute dyspnea: Modality Age Optimal of | | ion of heart | | |
| | | | Diagnosis (rule in HF) | (years) <50 | Point 450 pg/mL | | |
| | | | Exclusion (rule out HF | 50 - 75 >75) Age independent | 900 pg/mL 1800 pg/mL 300 pg/mL | | |

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

Out of Reference Range



labcorp

Date Created and Stored 10/04/22 1518 ET **Final Report** Page 1 of 1