

Specimen ID:
Control ID:

Acct #: 17452095 Phone: (800) 539-6119 Rte: 00
Walk-In Lab, LLC
1645 Tiffany Lane
Mandeville LA 70448

Patient Details

DOB:
Age(y/m/d):
Gender: SSN:
Patient ID:

Specimen Details

Date collected:
Date entered:
Date reported:

Physician Details

Ordering: M VISCARDI
Referring:
ID: F92919
NPI: 1710046206

General Comments & Additional Information

Alternate Control Number:
Total Volume: Not Provided

Alternate Patient ID: Not Provided
Fasting: No

Ordered Items

CMV Abs IgG/IgM; Venipuncture

TESTS	RESULT	FLAG	UNITS	REFERENCE	INTERVAL	LAB
CMV Abs IgG/IgM						
Cytomegalovirus (CMV) Ab, IgG	<0.60		U/mL	0.00 - 0.59		01
			Negative	<0.60		
			Equivocal	0.60 - 0.69		
			Positive	>0.69		
Cytomegalovirus (CMV) Ab, IgM	<30.0		AU/mL	0.0 - 29.9		01
			Negative	<30.0		
			Equivocal	30.0 - 34.9		
			Positive	>34.9		

A positive result is generally indicative of acute infection, reactivation or persistent IgM production.

01	BN	LabCorp Burlington 1447 York Court, Burlington, NC 27215-3361	Dir: William F Hancock, MD
02	HD	LabCorp Houston 7207 North Gessner, Houston, TX 77040-3143	Dir: Kyle Eskue, MD

For inquiries, the physician may contact **Branch: 504-828-2666 Lab: 800-762-4344**