

Specimen ID:
Control ID:Acct #: 17452095
Walk-In Lab, LLC
1645 Tiffany Lane
Mandeville, LA 70448

Phone: (800) 539-6119 Rte: 00

Patient Details

DOB:
Age(y/m/d):
Gender: SSN:
Patient ID:

Specimen Details

Date collected:
Date received:
Date entered:
Date reported:

Physician Details

Ordering: D KARTY
Referring:
ID:
NPI: 1144272949

General Comments & Additional Information

Alternate Control Number:

Alternate Patient ID:

Ordered Items

Methylmalonic Acid, Urine

TESTS	RESULT	FLAG	UNITS	REFERENCE	INTERVAL	LAB
Methylmalonic Acid, Urine						
Methylmalonic Acid, U	2.1		umol/L	1.6 - 29.7		01
MMA - Normalized	0.7		umol/mmol cr	0.4 - 2.5		
Disclaimer:						01
This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.						
Creatinine(Crt), U	0.32		g/L	0.30 - 3.00		01

01 BN LabCorp Burlington
1447 York Court, Burlington, NC 27215-3361

Dir: William F Hancock, MD

For inquiries, the physician may contact Branch: 504-828-2666 Lab: 800-762-4344