

Specimen ID:
Control ID:

Acct #: 17452095 Phone: (800) 539-6119 Rte: 00
Walk-In Lab, LLC
1645 Tiffany Lane
Mandeville LA 70448

Patient Details

DOB:
Age(y/m/d):
Gender: SSN:
Patient ID:

Specimen Details

Date collected:
Date received:
Date entered:
Date reported:

Physician Details

Ordering:
Referring:
ID: PARTELLO
NPI:

General Comments & Additional Information

Alternate Control Number: N/G

Alternate Patient ID: Not Provided

Ordered Items

HLA B 27 Disease Association

TESTS	RESULT	FLAG	UNITS	REFERENCE	INTERVAL	LAB
-------	--------	------	-------	-----------	----------	-----

HLA B 27 Disease Association						
------------------------------	--	--	--	--	--	--

HLA-B27	Negative					01
---------	----------	--	--	--	--	----

HLA-B*27 Negative
HLA allele interpretation for all loci based on IMGT/HLA database version 3.25.0
This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.
HLA Lab CLIA ID Number 34D0954530
This test was performed using PCR (Polymerase Chain Reaction)/SSOP (Sequence Specific Oligonucleotide Probes) technique. SBT (Sequence Based Typing) and/or SSP (Sequence Specific Primers) may be used as supplemental methods when necessary. Please contact HLA Customer Service at 1-800-533-1037 if you have any questions.
Director of HLA Laboratory
Dr George C Maha, PhD

01	2Q	LabCorp Burlington DNA 1440 York Court, Burlington, NC 27215-3361	Dir: George Maha, PhD
----	----	--	-----------------------

For inquiries, the physician may contact **Branch: 504-828-2666 Lab: 800-742-3944**