

Ordered Items: **F014-IgE Soybean**

Date Collected:	Date Received:	Date Reported: 02/23/2022	Fasting: No
-----------------	----------------	----------------------------------	--------------------

F014-IgE Soybean

Test	Current Result and Flag	Previous Result and Date	Units	Reference Interval
F014-IgE Soybean ⁰¹	<0.10		KU/L	Class 0
Class Description ⁰¹				
	Levels of Specific IgE	Class	Description of Class	
	< 0.10	0	Negative	
	0.10 - 0.31	0/I	Equivocal/Low	
	0.32 - 0.55	I	Low	
	0.56 - 1.40	II	Moderate	
	1.41 - 3.90	III	High	
	3.91 - 19.00	IV	Very High	
	19.01 - 100.00	V	Very High	
	>100.00	VI	Very High	

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

01: BN - Labcorp Burlington 1447 York Court, Burlington, NC, 27215-3361 Dir: Sanjai Nagendra, MD
 For Inquiries, the physician can contact Branch: 504-828-2666 Lab: 800-877-5227